

Matawan- Aberdeen  
 School District  
 Pesticide Usage  
 2020-2021



| Product / Active Ingredient   | EPA      | Application Time |
|---|----------|------------------|
| <b>Matawan Regional High School 450 Atlantic Ave Matawan, NJ 07747-2326</b>         |          |                  |
| InVict AB Insect Paste - Abamectin B1   | 73079-11 | 7/7/2020 10:24   |
| Final All Weather Blox - Brodifacoum  | 12455-89 | 10/13/2020 11:52 |
| Final All Weather Blox - Brodifacoum  | 12455-89 | 12/8/2020 12:09  |
| Maxforce Fleet Ant Gel - Fipronil   | 432-1264 | 3/23/2021 12:05  |
| <b>Matawan Middle School 469 Matawan Ave Cliffwood, NJ 07721-1203</b>               |          |                  |
| Mother Earth Dust - Diatomaceous Earth  | 499-509  | 9/10/2020 15:51  |
| Final All Weather Blox - Brodifacoum  | 12455-89 | 10/13/2020 14:35 |
| Final All Weather Blox - Brodifacoum  | 12455-89 | 12/8/2020 9:24   |
| Final All Weather Blox - Brodifacoum  | 12455-89 | 3/11/2021 13:40  |
| Final All Weather Blox - Brodifacoum  | 12455-89 | 4/12/2021 12:10  |
| Final All Weather Blox - Brodifacoum  | 12455-89 | 6/8/2021 13:57   |
| <b>Matawan Lloyd Road Elementary Schoo 401 Lloyd Road Matawan, NJ 07747</b>         |          |                  |
| Final All Weather Blox - Brodifacoum  | 12455-89 | 8/24/2020 11:42  |
| Final All Weather Blox - Brodifacoum  | 12455-89 | 11/10/2020 11:25 |
| Final All Weather Blox - Brodifacoum  | 12455-89 | 3/11/2021 15:16  |
| Final All Weather Blox - Brodifacoum  | 12455-89 | 4/12/2021 9:11   |
| Final All Weather Blox - Brodifacoum  | 12455-89 | 5/11/2021 15:31  |
| <b>Matawan Ravine Drive Elementary Sch 170 Ravine Drive Matawan, NJ 07747</b>       |          |                  |
| Maxforce Fleet Ant Gel - Fipronil   | 432-1264 | 4/12/2021 11:18  |
| <b>Matawan Cliffwood Elementary School 422 Cliffwood Avenue Cliffwood, NJ 07721</b> |          |                  |
| InVict AB Insect Paste - Abamectin B1   | 73079-11 | 7/21/2020 13:12  |
| Maxforce Fleet Ant Gel - Fipronil   | 432-1264 | 3/23/2021 9:50   |
| Advance Termite Inspection Cartridge -  | N/A      | 5/11/2021 11:42  |